




Gray Catbird

Hatching year


- – juvenile feather
- – formative feather
- – basic feather
- PJ – prejuvenile molt
- PF – preformative molt
- PB – prebasic molt

FPJ




WRP= FCJ

FPF




WRP= FCF

Second calendar year




WRP= FCF




WRP= FCF

SPB




WRP= DCB

Subsequent years




WRP= DCB



WRP= DCB

DPB



WRP= DCB

Gray Catbird, spring



Photo: Peter Pyle

Gray Catbird, spring

J

L

J

L

J

Photo: Peter Pyle



Gray Catbird, spring

J

L

J

L

J

WRP = FCF

Photo: Peter Pyle






Yellow Warbler

Hatching year


- – juvenile feather
- – formative feather
- – alternate feather
- – basic feather
- PJ – prejuvenile molt
- PF – preformative molt
- PA – prealternate molt
- PB – prebasic molt

FPJ



WRP= FCJ


FPF



WRP= FCF


Second calendar year

FPA




WRP= FCF

SPB



WRP= FCA


SPB



WRP= DCB


Subsequent years

DPA




WRP= DCB

DPB



WRP= DCA

DPB



WRP= DCB

Yellow Warbler, summer



Photo: OMEI/IBP Boreal MAPS

Yellow Warbler, summer

Ignore alternate feathers when scoring a tract unless the entire tract is alternate.





Photo: OMEI/IBP Boreal MAPS

Yellow Warbler, summer

Ignore alternate feathers when scoring a tract unless the entire tract is alternate.



WRP = FCA

Photo: OMEI/IBP Boreal MAPS




Common Yellowthroat

Hatching year


- – juvenile feather
- – formative feather
- – alternate feather
- – basic feather
- PJ – prejuvenile molt
- PF – preformative molt
- PA – prealternate molt
- PB – prebasic molt

FPJ



WRP= FCJ


FPF




WRP= FCF

Second calendar year

FPA




WRP= FCF



WRP= FCA


SPB




WRP= DCB

Subsequent years

DPA




WRP= DCB



WRP= DCA

DPB



WRP= DCB

Common Yellowthroat, July



Photo: OMEI/IBP Boreal MAPS

Common Yellowthroat, July



Photo: OMEI/IBP Boreal MAPS

Common Yellowthroat, July



WRP = FCJ

Photo: OMEI/IBP Boreal MAPS




Song Sparrow

Hatching year


- – juvenile feather
- – formative feather
- – basic feather
- PJ – prejuvenile molt
- PF – preformative molt
- PB – prebasic molt

FPJ



WRP= FCJ


FPF




WRP= FCF

Second calendar year


SPB



WRP= FCF




WRP= FCA




WRP= DCB

Subsequent years


DPB



WRP= DCB



WRP= DCA




WRP= DCB

Song Sparrow, June



Photo: OMEI/IBP Boreal MAPS

Song Sparrow, June



Song Sparrow, June




WRP = DCB




Downy Woodpecker

Hatching year


FPJ




FPF




Second calendar year




SPB




Third calendar year




TPB



Fourth calendar year



DPB



Downy Woodpecker, July



Photo: OMEI/IBP Boreal MAPS

Downy Woodpecker, July


Ignore feathers in active molt when scoring a tract.



Photo: OMEI/IBP Boreal MAPS

Downy Woodpecker, July

Ignore feathers in active molt when scoring a tract.



WRP = TPB

Photo: OMEI/IBP Boreal MAPS